accucold

FF6LBI7PLUS



33.5" x 23.63" x 23.5" (H x W x D)

Commercially approved 24" wide auto defrost allrefrigerator for built-in use, with a thermometer, internal fan, and front lock

Highlights:

Includes adjustable glass shelves for flexible storage

Flexible design allows built-in or freestanding use in 24" wide spaces

Commercially listed to NSF-7 standards

Product Features:

Commercially approved	ETL-S listed to NSF standards for commercial use	
Built-in capable	Make the best use of space by installing your appliance under the counter	
Fully finished white cabinet	Allows the unit to be used freestanding	
Height Adjustable	Adjustable legs allow the unit to be sized from 33 1/2" to 34 3/4" high	
Factory installed lock	Keyed lock for secure interior	
Automatic defrost	Reduced maintenance with auto defrost system	
Thermometer	Thermometer provides external readout of current and high/low temperatures	
Internal fan with heat sink	Fan-forced cooling ensures the unit is evenly cooled from top to bottom	
Adjustable glass shelves	Rearrange refrigerator space to accommodate all sizes or remove shelves for simple cleanup	



accuceld

FF6LBI7PLUS Specifications:

Overview	
Height of Cabinet	33.5" (85 cm)
Width	23.63" (60 cm)
Depth	23.5" (60 cm)
Depth with Handle	25.13" (64 cm)
Depth with door at 90°	46.13" (117 cm)
Capacity	5.5 cu.ft. (156 L)
Defrost Type	Automatic
Door	White
Cabinet	White
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Sanitation	ETL-S
Amps	1.3
Shipping Weight	104.0 lbs. (47 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101044927
Refrigerator Features	
Door Swing	RHD
Reversible	Factory Reversible
Shelf Type	Wire
Shelf Qty	3
Full Door Shelf Qty	3
Adjustable Shelves	Yes
Thermostat Type	Dial
Fan Type	Interior and Exterior
Refrigerant Type	R134a
Refrigerant Amount	1.8oz.
High Side PSI	285.0
Low Side PSI	70.0
	4
Level Legs Qty	Yes
Interior Light	
Interior Light	27.75" (70 cm)
Interior Light Dimensions	27.75" (70 cm) 20.0" (51 cm)
Interior Light Dimensions Interior Height	
High Side PSI Low Side PSI	285.0 70.0

Compressor Step Width	20.0" (51 cm)
Compressor Step Depth	6.0" (15 cm)



SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified 770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799

