# SCR1500

73.75" x 27" x 25" (H x W x D)

DISCONTINUED; For a similar unit, see the SCR1505

## Highlights:

Commercially approved for use in foodservice establishments

Tropicalized glass door protects the cold products inside

Full fluorescent light illuminates items for a tempting view

## Product Features:

| | |
|---|---|
| Commercially approved | ETL-S Approved to ANSI-NSF Standard 7 |
| Frost-free operation | Let your appliance do the work with a timer defrost heater that continuously keeps ice from forming inside |

| | |
|---|---|
| Double pane tempered glass door | Tropicalized design protects contents from ambient hot temperatures |
| Fluorescent lighting | Fully illuminates the interior with a convenient ON/OFF switch |
| Adjustable thermostat | Manage the interior temperature with ease and accuracy |
| Internal fan | Even circulation throughout the interior |
| Cantilevered shelves | More setup options by adjusting shelving to precise increments |
| Self-closing door | Closes to save energy but will remain open when the door is opened at a 90° angle |
| Large capacity | 18 c.f. of space inside a modest 25 inch depth |

## SCR1500 Specifications:

| Overview | |
|---|---|
| Height of Cabinet | 73.75" (187 cm) |
| Width | 27.0" (69 cm) |
| Depth | 25.0" (64 cm) |
| Capacity | 16.0 cu.ft. (453 L) |
| Defrost Type | Automatic |
| Door | Glass |
| Cabinet | White |
| US Electrical Safety | UL |
| Voltage/Frequency | 115 V AC/60 Hz |
| Weight | 220.0 lbs. (100 kg) |
| Shipping Weight | 305.0 lbs. (138 kg) |
| Parts & Labor Warranty | 1 Year |
| Compressor Warranty | 5 Years |
| UPC | 761101008516 |
| **Refrigerator Features** | |
| Door Swing | RHD |
| Reversible | No |
| Shelf Qty | 3 |
| Adjustable Shelves | Yes |
| Thermostat Type | Dial |
| Interior Light | Yes |