SUMMIT

FF985SS



60.25" x 23.25" x 23.5" (H x W x D)

DISCONTINUED: For a similar model, see the FF948SS

Highlights:

Ideal 24 inch footprint offers large capacity in slim fit

Stainless steel doors and platinum sides bring a modern look into any setting

True frost-free operation saves you maintenance by preventing icy buildup

Product Features:

Thin-line design	Limited space is no problem for our thin-line models, designed specifically for those hard-to-fit spots	
Stainless steel doors	Fingerprint-proof design with durable luxury	
Platinum cabinet	Silver shaded color brings modern style to the sides	
Frost-free operation	Fully frost-free to eliminate the need for manual defrosting the interior	
Adjustable glass shelves	Rearrange your refrigerator space to accommodate all shapes and sizes or remove shelves for a simple clean-up	
Reversible doors	Keep your options flexible with reversible doors that are easy to switch when your arrangement changes	
Door storage	Store large bottles right on the door for easy access	






FF985SS Specifications:

Height of Cabinet 60.25" (153 cm) Width 23.25" (59 cm) Depth 23.5" (60 cm) Depth with door at 90° 45.5" (116 cm) Capacity 8.8 cu.ft. (249 L) Defrost Type Frost-Free Door Stainless Steel Cabinet Platinum US Electrical Safety UL Canadian Electrical Safety ULC Energy Usage/Year 369.0kWh/year Other Energy Info 120 Volts / 60 Hz. Amps 2.8		
Depth 23.5" (60 cm) Depth with door at 90° 45.5" (116 cm) Capacity 8.8 cu.ft. (249 L) Defrost Type Frost-Free Door Stainless Steel Cabinet Platinum US Electrical Safety UL Canadian Electrical Safety ULC Energy Usage/Year 369.0kWh/year Other Energy Info 120 Volts / 60 Hz.		
Depth with door at 90° 45.5" (116 cm) Capacity 8.8 cu.ft. (249 L) Defrost Type Frost-Free Door Stainless Steel Cabinet Platinum US Electrical Safety UL Canadian Electrical Safety ULC Energy Usage/Year 369.0kWh/year Other Energy Info 120 Volts / 60 Hz.		
Capacity B.8 cu.ft. (249 L) Defrost Type Frost-Free Door Stainless Steel Cabinet Platinum US Electrical Safety UL Canadian Electrical Safety ULC Energy Usage/Year Other Energy Info 120 Volts / 60 Hz.		
L) Defrost Type Frost-Free Door Stainless Steel Cabinet Platinum US Electrical Safety UL Canadian Electrical Safety ULC Energy Usage/Year 369.0kWh/year Other Energy Info 120 Volts / 60 Hz.		
Door Stainless Steel Cabinet Platinum US Electrical Safety UL Canadian Electrical Safety ULC Energy Usage/Year 369.0kWh/year Other Energy Info 120 Volts / 60 Hz.		
Cabinet Platinum US Electrical Safety UL Canadian Electrical Safety ULC Energy Usage/Year 369.0kWh/year Other Energy Info 120 Volts / 60 Hz.		
US Electrical Safety ULC Canadian Electrical Safety ULC Energy Usage/Year Other Energy Info 120 Volts / 60 Hz.		
Canadian Electrical Safety ULC Energy Usage/Year 369.0kWh/year Other Energy Info 120 Volts / 60 Hz.		
Energy Usage/Year 369.0kWh/year Other Energy Info 120 Volts / 60 Hz.		
Other Energy Info 120 Volts / 60 Hz.		
Hz.		
Amps 2.8		
Voltage/Frequency 115 V AC/60 Hz		
Parts & Labor Warranty 1 Year		
Compressor Warranty 5 Years		
UPC 761101005607		
Refrigerator-Freezer		
Door Swing RHD		
Reversible Yes		
Adjustable Shelves Yes		
Crisper Qty 1		
Crisper Finish Transparent		
Crisper Cover Glass		
Interior Light Yes		
Refrigerator - Interior 48.25" (123 cm) Height		
Refrigerator - Interior Width 20.5" (52 cm)		
Refrigerator - Interior Depth 17.75" (45 cm)		
Refrigerator - Shelf Type Glass		
Refrigerator - Shelf Qty 3		
Refrigerator - Full Door 2 Shelves		
Refrigerator - Half Door 2 Shelves		
Sileives		
Thermostat Type Dial		

Refrigerant Amount	3.85 oz.
High Side PSI	335.0
Low Side PSI	140.0
Level Legs	2
Compressor Step Height	6.25" (16 cm)
Compressor Step Width	20.0" (51 cm)
Compressor Step Depth	5.5" (14 cm)



TIMMUE

