

# SBC490BI7BFTWIN



34.5" x 23.63" x 24.88" (H x W x D)

DISCONTINUED: For a similar unit with a stainless steel frame and tap, see the SBC490BI7FRTWIN

### Highlights:

Commercially approved for use in food service establishments

Flexible design allows built-in or freestanding use

Twin taps allow you to serve two different beers

### Product Features:

|                              |   |
|------------------------------|---|
| Commercially approved        | ETL-S Listed to NSF-18  |
| Built-in capable             | Make the best use of space by installing your appliance under the counter and flush with other cabinetry                        |
| Fully finished black cabinet | Allows the unit to be used freestanding   |
| KIT 490 included             | Complete tap system with 5 lb. CO2 tank and regulator, draft arm, Sankey American tap, connection hardware, and cleaning kit    |
| Dual tap system              | Twin taps let you serve two different types of beer from two quarter kegs   |
| Brass draft tower            | Striking style fit for any setting  |
| Brass door frame             | Slide a panel into this two-piece exposed brass door frame to match the unit to other cabinetry (panel size: 31" H x 23 3/8" W) |





## SBC490BI7BFTWIN Specifications:

| Overview                   |                    |
|----------------------------|--------------------|
| Height of Cabinet          | 34.5" (88 cm)      |
| Width                      | 23.63" (60 cm)     |
| Depth                      | 24.88" (63 cm)     |
| Depth with door at 90°     | 47.0" (119 cm)     |
| Capacity                   | 6.4 cu.ft. (181 L) |
| Defrost Type               | Automatic          |
| Door                       | Brass Frame        |
| Cabinet                    | Black              |
| US Electrical Safety       | UL                 |
| Canadian Electrical Safety | ULC                |
| Sanitation                 | ETL-S              |
| Amps                       | 1.7                |
| Voltage/Frequency          | 115 V AC/60 Hz     |
| Shipping Weight            | 152.0 lbs. (69 kg) |
| Parts & Labor Warranty     | 1 Year             |
| Compressor Warranty        | 5 Years            |
| Kegeerator                 |                    |
| Door Swing                 | RHD                |
| Reversible                 | No                 |
| Shelf Type                 | Wire               |
| Shelf Qty                  | 2                  |
| Thermostat Type            | Dial               |
| Fan Type                   | Exterior           |
| Refrigerant                | R134a              |
| Refrigerant Amount         | 2.1 oz.            |
| High Side PSI              | 280.0              |
| Low Side PSI               | 88.0               |
| Inter Height               | 29.0" (74 cm)      |
| Interior Width             | 21.25" (54 cm)     |
| Interior Depth             | 18.75" (48 cm)     |
| Level Legs Qty             | 4                  |

