

SBC490BI7TWIN



34.5" x 23.63" x 24.88" (H x W x D)

Commercially approve built-in undercounte beer dispenser with black exterior, dual tap system, and full tap accessory kit

Highlights:

Commercially approved for use in food service establishments

Flexible design allows built-in or freestanding use

Twin taps allow you to serve two different beers from slim quarter kegs

Product Features:

Commercially approved	ETL-S Listed to NSF-18
Built-in capable	Make the best use of space by installing your appliance under the counter and flush with other cabinetry
Fully finished black cabinet	Allows the unit to be used freestanding
KIT 490 included	Complete tap system with 5 lb. CO2 tank and regulator, draft arm, Sankey American tap, connection hardware, and cleaning kit
Dual tap system	Twin taps let you serve two different types of beer from two slim quarter kegs
Automatic defrost	Reduced user maintenance with auto defrost operation
Adjustable thermostat	Manage the temperature with ease and accuracy

Casters included (ship unassembled) To make the unit portable, install this sturdy set of casters to the base of the unit SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified 770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799 info@summitappliance.com



SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified 770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799





SBC490BI7TWIN Specifications:

Overview	
Height of Cabinet	34.5" (88 cm)
Width	23.63" (60 cm)
Depth	24.88" (63 cm)
Depth with Handle	26.5" (67 cm)
Depth with door at 90°	47.0" (119 cm)
Capacity	6.4 cu.ft. (181 L)
Defrost Type	Automatic
Door	Black
Cabinet	Black
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Sanitation	ETL-S
Amps	1.7
Voltage/Frequency	115 V AC/60 Hz
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101014869
Kegerator	
Door Swing	RHD
Reversible	
	No
Shelf Type	No Wire
Shelf Type	Wire
Shelf Type Shelf Qty	Wire 2
Shelf Type Shelf Qty Thermostat Type	Wire 2 Dial
Shelf Type Shelf Qty Thermostat Type Fan Type	Wire 2 Dial Exterior
Shelf Type Shelf Qty Thermostat Type Fan Type Refrigerant	Wire 2 Dial Exterior R134a
Shelf Type Shelf Qty Thermostat Type Fan Type Refrigerant Refrigerant Amount	Wire 2 Dial Exterior R134a 2.1 oz.
Shelf Type Shelf Qty Thermostat Type Fan Type Refrigerant Refrigerant Amount High Side PSI	Wire 2 Dial Exterior R134a 2.1 oz. 280.0
Shelf Type Shelf Qty Thermostat Type Fan Type Refrigerant Refrigerant Amount High Side PSI Low Side PSI	Wire 2 Dial Exterior R134a 2.1 oz. 280.0 88.0
Shelf Type Shelf Qty Thermostat Type Fan Type Refrigerant Refrigerant Amount High Side PSI Low Side PSI Inter Height	Wire 2 Dial Exterior R134a 2.1 oz. 280.0 88.0 29.0" (74 cm)
Shelf Type Shelf Qty Thermostat Type Fan Type Refrigerant Refrigerant Amount High Side PSI Low Side PSI Inter Height Interior Width	Wire 2 Dial Exterior R134a 2.1 oz. 280.0 88.0 29.0" (74 cm) 21.25" (54 cm)



