

SBC490BISSTBTRIPLE



34.5" x 23.63" x 24.88" (H x W x D)

Built-in auto defrost commercial beer dispenser with three taps, stainless steel door, and towel bar handle

Highlights:

Flexible design allows built-in or freestanding use


Designed to hold three Cornelius kegs or two 1/6 kegs


Stainless steel door includes curved towel bar handle for added luxury

Product Features:

| Built-in capable | Make the best use of space by installing your appliance under the counter and flush with other cabinetry | |
|-------------------------------|--|--|
| Fully finished black cabinet | Allows the unit to be used freestanding | |
| Stainless steel door | Modern elegance with durable construction | |
| Professional towel bar handle | A curved handle in brushed stainless steel provides generous room for a comfortable grip | |
| KIT 490 included | Complete tap system with 5 lb. CO2 tank and regulator, draft arm, Sankey American tap, connection hardware, and cleaning kit | |
| Triple tap system | Three taps allow you to serve three different brews from Cornelius kegs or two different makes from 1/6 sized kegs | |
| Automatic defrost | Reduced user maintenance with auto defrost operation | |

AUNULTURE THEAN STORCH, Manado The Storce And Accuracy 270 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799 ______ info@summitappliance.com











SBC490BISSTBTRIPLE Specifications:

| Overview | |
|---|--|
| Height of Cabinet | 34.5" (88 cm) |
| Width | 23.63" (60 cm) |
| Depth | 24.88" (63 cm) |
| Depth with Handle | 26.5" (67 cm) |
| Depth with door at 90° | 47.0" (119 cm) |
| Capacity | 6.4 cu.ft. (181 L) |
| Defrost Type | Automatic |
| Door | Stainless Steel |
| Cabinet | Black |
| US Electrical Safety | UL |
| Canadian Electrical Safety | ULC |
| Amps | 1.7 |
| Voltage/Frequency | 115 V AC/60 Hz |
| Parts & Labor Warranty | 1 Year |
| Compressor Warranty | 5 Years |
| UPC | 761101014913 |
| | 701101014913 |
| Kegerator | 701101014913 |
| | RHD |
| Kegerator | |
| Kegerator Door Swing | RHD |
| Kegerator Door Swing Reversible | RHD |
| Kegerator Door Swing Reversible Shelf Type | RHD No Wire |
| Kegerator Door Swing Reversible Shelf Type Shelf Qty | RHD No Wire 2 |
| KegeratorDoor SwingReversibleShelf TypeShelf QtyThermostat Type | RHD No Wire 2 Dial |
| KegeratorDoor SwingReversibleShelf TypeShelf QtyThermostat TypeFan Type | RHD No Wire 2 Dial Exterior |
| KegeratorDoor SwingReversibleShelf TypeShelf QtyThermostat TypeFan TypeRefrigerant | RHD No Wire 2 Dial Exterior R134a |
| KegeratorDoor SwingReversibleShelf TypeShelf QtyThermostat TypeFan TypeRefrigerantRefrigerant Amount | RHD No Wire 2 Dial Exterior R134a 2.1 oz. |
| KegeratorDoor SwingReversibleShelf TypeShelf QtyThermostat TypeFan TypeRefrigerantRefrigerant AmountHigh Side PSI | RHD No Wire 2 Dial Exterior R134a 2.1 oz. 280.0 |
| KegeratorDoor SwingReversibleShelf TypeShelf QtyThermostat TypeFan TypeRefrigerantRefrigerant AmountHigh Side PSILow Side PSI | RHD No Wire 2 Dial Exterior R134a 2.1 oz. 280.0 88.0 |
| KegeratorDoor SwingReversibleShelf TypeShelf QtyThermostat TypeFan TypeRefrigerantRefrigerant AmountHigh Side PSILow Side PSIInter Height | RHD No Wire 2 Dial Exterior R134a 2.1 oz. 280.0 88.0 29.0" (74 cm) |
| KegeratorDoor SwingReversibleShelf TypeShelf QtyThermostat TypeFan TypeRefrigerantRefrigerant AmountHigh Side PSILow Side PSIInter HeightInterior Width | RHD No Wire 2 Dial Exterior R134a 2.1 oz. 280.0 88.0 29.0" (74 cm) 21.25" (54 cm) |



