

SBC490OSSSTB



51.38" x 23.63" x 25.5" (H x W x D)

DISCONTINUED: Replaced by SBC490OS

Highlights:

U.L. approved for outdoor use, with three levels of weatherproofing in design

Complete 304 grade stainless steel construction for durable luxury

Includes everything you need for the perfect pour

Product Features:

U.L. approved for outdoor use	Durable construction meets and exceeds U.L. requirements for safe outdoor operation
Complete 304 grade stainless steel construction	Non-corrodible stainless steel lasts in any season
Professional towel bar handle	A curved stainless steel handle adds function and elegance, providing more room for a comfortable grip
KIT 490 included	Includes a 5lb. CO2 tank and regulator, draft arm, Sankey American tap, connection hardware, and cleaning kit
Full-sized	Large interior accepts half, quarter, and mini (pony) kegs
Ground Fault Circuit Interrupter	Our integrated GFCI exceeds U.L. requirements for safety by protecting your unit from shocks and circuit breaks

Automatic defrost
SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified
770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-8900 FAX 844-478-8799
Adjustable thermostat Manage the interior temperature with ease and accuracy



Sensitive information back

No exposed electrical components



SBC490OSSSTB Specifications:

Overview	
Height of Cabinet	51.38" (131 cm)
Width	23.63" (60 cm)
Depth	25.5" (65 cm)
Capacity	6.4 cu.ft. (181 L)
Defrost Type	Automatic
Door	Stainless Steel
Cabinet	Stainless Steel
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101011349
Kegerator	
Door Swing	RHD
Reversible	No

