

# VLT1250



33.25" x 55.5" x 28.63" (H x W x D)

Laboratory chest freezer capable of -35° C (-31° F) operation

### Highlights:

Commercially listed to NSF-7 standards and meets UL-471

Laboratory chest freezer with generous 14.1 cu.ft. capacity

Capable of operating at -35° C for long-term food preservation and safe storage of pharmaceuticals

### Product Features:

|                                |  |
|--------------------------------|--|
| -35° C (-31° F) capable        | Low temperature operation ideal for vaccines, pharmaceuticals, and long-term preservation of frozen food                             |
| Commercially approved          | UL-S listed to NSF-7 commercial standards and meets UL commercial standard 471   |
| Large capacity                 | 14.1 cu.ft. of storage space inside  |
| Digital thermostat             | Electronic controls for precise temperature management   |
| Alarm with temperature display | Audible alarm sounds to warn of temperature variations with a digital readout on the thermometer to provide the interior temperature |
| Manual defrost                 | No temperature fluctuations with an energy efficient manual defrost system   |
| Corner protectors              | Exterior protection important in high traffic settings   |
| Factory installed lock         | Keep contents secure with a lock on the lid  |
| 100% CFC free                  | Environmentally friendly design does not contain ozone-damaging chemicals  |

## VLT1250 Specifications:

| Overview                   |                     |
|----------------------------|---------------------|
| Height of Cabinet          | 33.25" (84 cm)      |
| Width                      | 55.5" (141 cm)      |
| Depth                      | 28.63" (73 cm)      |
| Capacity                   | 14.1 cu.ft. (399 L) |
| Defrost Type               | Manual              |
| Door                       | White               |
| Cabinet                    | White               |
| US Electrical Safety       | UL                  |
| Canadian Electrical Safety | ULC                 |
| Sanitation                 | UL-S                |
| Amps                       | 1.49                |
| Voltage/Frequency          | 115 V AC/60 Hz      |
| Weight                     | 225.0 lbs. (102 kg) |
| Shipping Weight            | 235.0 lbs. (107 kg) |
| Parts & Labor Warranty     | 1 Year              |
| Compressor Warranty        | 5 Years             |
| UPC                        | 761101009292        |
| Freezer                    |                     |
| Door Swing                 | Lift-Up             |
| Interior Height            | 26.25" (67 cm)      |
| Interior Width             | 48.0" (122 cm)      |
| Interior Depth             | 21.5" (55 cm)       |
| Thermostat Type            | Digital             |
| Refrigerant Type           | R600a               |
| Refrigerant Amount         | 3.53 oz.            |
| High Side PSI              | 150.0               |
| Low Side PSI               | 54.0                |
| Compressor Step Height     | 9.25" (23 cm)       |
| Compressor Step Width      | 9.38" (24 cm)       |
| Compressor Step Depth      | 21.5" (55 cm)       |

