

# VLT1250



33.25" x 55.5" x 28.63" (H x W x D)

Laboratory chest freezer capable of -35° C (-31° F) operation

**Highlights:**

Commercially listed to NSF-7 standards and meets UL-471

Laboratory chest freezer with generous 14.1 cu.ft. capacity

Capable of operating at -35° C for long-term food preservation and safe storage of pharmaceuticals

**Product Features:**

-35° C (-31° F) capable	Low temperature operation ideal for vaccines, pharmaceuticals, and long-term preservation of frozen food
Commercially approved	UL-S listed to NSF-7 commercial standards and meets UL commercial standard 471
Large capacity	14.1 cu.ft. of storage space inside
Digital thermostat	Electronic controls for precise temperature management
Alarm with temperature display	Audible alarm sounds to warn of temperature variations with a digital readout on the thermometer to provide the interior temperature
Manual defrost	No temperature fluctuations with an energy efficient manual defrost system
Corner protectors	Exterior protection important in high traffic settings
Factory installed lock	Keep contents secure with a lock on the lid
100% CFC free	Environmentally friendly design does not contain ozone-damaging chemicals

## VLT1250 Specifications:

Overview	
Height of Cabinet	33.25" (84 cm)
Width	55.5" (141 cm)
Depth	28.63" (73 cm)
Capacity	14.1 cu.ft. (399 L)
Defrost Type	Manual
Door	White
Cabinet	White
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Sanitation	UL-S
Amps	1.49
Voltage/Frequency	115 V AC/60 Hz
Weight	225.0 lbs. (102 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101009292
Freezer	
Door Swing	Lift-Up
Interior Height	26.25" (67 cm)
Interior Width	48.0" (122 cm)
Interior Depth	21.5" (55 cm)
Thermostat Type	Digital
Refrigerant Type	R600a
Refrigerant Amount	3.53 oz.
High Side PSI	150.0
Low Side PSI	54.0
Compressor Step Height	9.25" (23 cm)
Compressor Step Width	9.38" (24 cm)
Compressor Step Depth	21.5" (55 cm)

