

VLT1750IB



33.25" x 66.75" x 28.63" (H x W x D)

Laboratory chest freezer capable of -35° C (-31° F) operation with dual blue ice banks

Highlights:

Commercially listed to NSF-7 standards and meets UL-471

Laboratory chest freezer with generous 18 cu.ft. storage capacity

Precise temperature control with a digital thermostat

Product Features:

| | |
|--------------------------------|--|
| Commercially approved | UL-S listed to NSF-7 commercial standards and meets UL commercial standard 471 |
| Large capacity | 18 cu.ft. of storage space inside |
| -35° C (-31° F) capable | Low temperature operation ideal for vaccines, pharmaceuticals, and long-term preservation of frozen food |
| Digital thermostat | Electronic controls for precise temperature management |
| Alarm with temperature display | Audible alarm sounds to warn of temperature variations with a digital readout on the thermometer to provide the interior temperature |
| Factory installed lock | Keep contents secure with a lock on the lid |
| Blue ice bank | Four ice banks included in the walls to maintain temperature in the event of a power outage |
| Manual defrost | Energy efficient operation |
| Corner protectors | Exterior protection important in high traffic settings |

VLT1750IB Specifications:

| Overview | |
|----------------------------|---------------------|
| Height of Cabinet | 33.25" (84 cm) |
| Width | 66.75" (170 cm) |
| Depth | 28.63" (73 cm) |
| Depth with Handle | 30.75" (78 cm) |
| Capacity | 18.0 cu.ft. (510 L) |
| Defrost Type | Manual |
| Door | White |
| Cabinet | White |
| US Electrical Safety | UL |
| Canadian Electrical Safety | ULC |
| Sanitation | UL-S |
| Amps | 1.4 |
| Voltage/Frequency | 115 V AC/60 Hz |
| Weight | 165.0 lbs. (75 kg) |
| Shipping Weight | 175.0 lbs. (79 kg) |
| Parts & Labor Warranty | 1 Year |
| Compressor Warranty | 5 Years |
| UPC | 761101038209 |
| Freezer | |
| Door Swing | Lift-Up |
| Interior Height | 26.25" (67 cm) |
| Interior Width | 59.0" (150 cm) |
| Interior Depth | 20.5" (52 cm) |
| Thermostat Type | Digital |
| Refrigerant Type | R600a |
| Refrigerant Amount | 4.06 oz. |
| High Side PSI | 280.0 |
| Low Side PSI | 130.0 |
| Wheels | 4 |
| Compressor Step Height | 9.25" (23 cm) |
| Compressor Step Width | 9.38" (24 cm) |
| Compressor Step Depth | 9.38" (24 cm) |

