

VLT1750IB



33.25" x 66.75" x 28.63" (H x W x D)

Laboratory chest freezer capable of -35° C (-31° F)
operation with dual blue ice banks

Highlights:

Commercially listed to NSF-7 standards and meets UL-471

Laboratory chest freezer with generous 18 cu.ft. storage
capacity

Precise temperature control with a digital thermostat

Product Features:

Commercially approved	UL-S listed to NSF-7 commercial standards and meets UL commercial standard 471
Large capacity	18 cu.ft. of storage space inside
-35° C (-31° F) capable	Low temperature operation ideal for vaccines, pharmaceuticals, and long-term preservation of frozen food
Digital thermostat	Electronic controls for precise temperature management
Alarm with temperature display	Audible alarm sounds to warn of temperature variations with a digital readout on the thermometer to provide the interior temperature
Factory installed lock	Keep contents secure with a lock on the lid
Blue ice bank	Four ice banks included in the walls to maintain temperature in the event of a power outage
Manual defrost	Energy efficient operation
Corner protectors	Exterior protection important in high traffic settings

VLT1750IB Specifications:

Overview	
Height of Cabinet	33.25" (84 cm)
Width	66.75" (170 cm)
Depth	28.63" (73 cm)
Depth with Handle	30.75" (78 cm)
Capacity	18.0 cu.ft. (510 L)
Defrost Type	Manual
Door	White
Cabinet	White
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Sanitation	UL-S
Amps	1.4
Voltage/Frequency	115 V AC/60 Hz
Weight	165.0 lbs. (75 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101038209
Freezer	
Door Swing	Lift-Up
Interior Height	26.25" (67 cm)
Interior Width	59.0" (150 cm)
Interior Depth	20.5" (52 cm)
Thermostat Type	Digital
Refrigerant Type	R600a
Refrigerant Amount	4.06 oz.
High Side PSI	280.0
Low Side PSI	130.0
Wheels	4
Compressor Step Height	9.25" (23 cm)
Compressor Step Width	9.38" (24 cm)
Compressor Step Depth	9.38" (24 cm)

