### SUMMIT

# SCR1536BGCSS



33.88" x 14.75" x 22.75" (H x W x D)

15" wide built-in undercounter glass door beverage cooler for home or commercial use, with digital controls, lock, LED light, and stainless steel cabinet

### **Highlights:**

Just under 15" wide for an easy fit, with a flush back design to save space

Flexible design allows built-in or freestanding use under counters

Digital thermostat offers precise and convenient temperature control

#### **Product Features:**

| Commercially approved                | ETL-S listed to NSF-7 Standards for use in commercial establishments               |  |
|--------------------------------------|--|--|
| Built-in capable                     | Make the best use of space by installing your appliance under the counter          |  |
| Fully finished black cabinet         | Allows the unit to be used freestanding  |  |
| Glass door with stainless steel trim | Provides a full display of stored contents with a heat-safe double tempered design |  |
| Factory installed lock               | Keyed security on the door   |  |
| Digital thermostat                   | Electronic controls for precise temperature management.                            |  |
| Digital display                      | Temperature readout can be shown in Celsius or Fahrenheit                          |  |
| LED lighting                         | Gentle illumination with an on/off switch  |  |
| Automatic defrost                    | Reduced maintenance with the convenience of auto defrost                           |  |






### **SCR1536BGCSS Specifications:**

| Overview                      |                    |
|-------------------------------|--------------------|
| Height of Cabinet             | 33.88" (86 cm)     |
| Width                         | 14.75" (37 cm)     |
| Depth                         | 22.75" (58 cm)     |
| Depth with Handle             | 24.63" (63 cm)     |
| Depth with door at 90°        | 36.25" (92 cm)     |
| Capacity                      | 2.45 cu.ft. (69 L) |
| Defrost Type                  | Automatic          |
| Door                          | Glass              |
| Cabinet                       | Stainless Steel    |
| US Electrical Safety          | ETL                |
| Canadian Electrical<br>Safety | ETL-C              |
| Sanitation                    | ETL-S              |
| Energy Usage/Year             | 245.0kWh/year      |
| Amps                          | 1.0                |
| Voltage/Frequency             | 115 V AC/60 Hz     |
| Weight                        | 77.0 lbs. (35 kg)  |
| Shipping Weight               | 112.5 lbs. (51 kg) |
| Parts & Labor Warranty        | 1 Year             |
| Compressor Warranty           | 5 Years            |
| UPC                           | 761101050935       |
| Refrigerator Features         |                    |
| Sabbath Mode                  | Yes                |
| Door Swing                    | RHD                |
| Reversible                    | Yes                |
| Shelf Type                    | Chrome             |
| Shelf Qty                     | 3                  |
| Thermostat Type               | Digital            |
| Refrigerant Type              | R600a              |
| Refrigerant Amount            | 0.64oz.            |
| High Side PSI                 | 270.0              |
| Low Side PSI                  | 105.0              |
| Level Legs Qty                | 4                  |
| Interior Light                | Yes                |
| Dimensions                    |                    |
| Interior Height               | 23.5" (60 cm)      |
| Interior Width                | 10.25" (26 cm)     |
| Interior Depth                | 16.5" (42 cm)      |

| Compressor Step Height | 3.75" (10 cm)  |
|------------------------|----------------|
| Compressor Step Width  | 10.25" (26 cm) |
| Compressor Step Depth  | 4.5" (11 cm)   |



## TIMMUE

