

DLSA11



5.25" x 0.75" x 0.75" (H x W x D)

Portable USB temperature logger with LCD temperature display

Highlights:

Portable design makes this ideal for logging the temperature of materials during the transportation process

Allows the user to program the logging intervals for more flexibility in data analysis

LCD display lets you view the current, min/max, average, and mean kinetic temperature while recording

Product Features:

| | |
|--------------------------------|---|
| Reliable logging | Accurate within .5°C in a -20 to 40°C range (accuracy in other ranges is 1°C) |
| User-set logging interval | Users can program the timing interval for data logging |
| USB connection | Data logger includes integrated USB drive that lets you plug the whole logger into your computer's USB port for easy analysis |
| Versatile software | Allows you to view the data in Excel, Adobe Illustrator, or PDF |
| Temperature display | LCD screen displays the current and high/low temperatures, as well as the average temperature and Mean Kinetic Temperature to show the overall effect of temperature fluctuations during the recording period |
| Displays Celsius or Fahrenheit | Users can set their preference through the software before using the logger |
| Visual alarm indicator | If setting high/low temperature parameters, the LCD display will show an "x" to communicate that the temperature is out of range. Out of range recordings will be color-coded in the exported report |
| Compact size | Portable design lets you place the logger virtually anywhere for convenient logging |
| Large recording capacity | Logger can store up to 32,000 data points |

DLSA11 Specifications:

| Overview | |
|------------------------|-----------------|
| Nominal Height | 5.25" (13 cm) |
| Height of Cabinet | 5.25" (13 cm) |
| Nominal Width | 1.0" (3 cm) |
| Width | 0.75" (2 cm) |
| Nominal Depth | 1.0" (3 cm) |
| Depth | 0.75" (2 cm) |
| Weight | 1.0 lbs. (0 kg) |
| Parts & Labor Warranty | 90 Days |
| UPC | 761101053080 |

