



# SCR1400WLHCSS



70" x 23.63" x 23.75" (H x W x D)

Commercial beverage merchandiser with 12.6 cu.ft. capacity, digital thermostat, self-closing door, and stainless steel cabinet; replaces SCR1400CSS

## Highlights:

Commercially approved and CalCode compliant

Digital thermostat offers precise and convenient temperature control

Self-closing door is ideal for busy commercial settings

## Product Features:

Slim fit	Just 24" wide and deep for an easy fit in any setting
Frost-free operation	No-frost convenience for reduced user maintenance
Commercially listed	ETL-S listed to NSF standards for commercial use
Self-closing door	Door will automatically close when left ajar, preventing items from accidentally being exposed to ambient temperatures
Glass door with stainless steel trim	Heat-safe design offers safe display of stored products
Professional handle	Completes the look
Factory installed lock	Keyed lock for a secure interior
Recessed LED lighting	On/off button to illuminate stored products with an attractive and energy efficient glow
Adjustable shelves	Fifteen glide positions accommodate a variety of sizes, with heavy duty wired shelving



## SCR1400WLHCSS Specifications:

Overview	
Height of Cabinet	70.0" (178 cm)
Width	23.63" (60 cm)
Depth	23.75" (60 cm)
Depth with Handle	25.63" (65 cm)
Depth with door at 90°	46.75" (119 cm)
Capacity	12.6 cu.ft. (357 L)
Defrost Type	Frost-Free
Door	Glass
Cabinet	Stainless Steel
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Sanitation	ETL-S
Amps	1.7
Voltage/Frequency	115 V AC/60 Hz
Weight	160.0 lbs. (73 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101061566
Refrigerator Features	
Sabbath Mode	Yes
Door Swing	LHD
Reversible	No
Shelf Type	Wire
Shelf Qty	6
Adjustable Shelves	Yes
Thermostat Type	Digital
Fan Type	Interior
Refrigerant Type	R600a
Refrigerant Amount	1.66oz.
High Side PSI	270.0
Low Side PSI	105.0
Level Legs Qty	4
Interior Light	Yes
Temperature Range	36°F to 43°F
Sound Level	35.7 dB
Dimensions	
Interior Height	60.25" (153 cm)

Interior Width	20.0" (51 cm)
Interior Depth	17.5" (44 cm)
Compressor Step Height	4.0" (10 cm)
Compressor Step Width	20.0" (51 cm)
Compressor Step Depth	5.5" (14 cm)



