

## SCFF237LH



83.75" x 27.5" x 31" (H x W x D)

23 cu.ft. commercial reach-in all-freezer in complete stainless steel with left hand door swing

## **Highlights:**

Commercially listed to NSF standards

Stainless steel interior and exterior cabinet for true durability in high traffic commercial settings

Optimized forced air cooling for excellent temperature stability and uniformity with rapid recovery after door openings and product loading

## **Product Features:**

| Commercial construction meeting UL commercial listing standards   |
|---|
| Interior and exterior are entirely constructed from stainless steel for lasting durability and easy cleanup   |
| Top-mounted commercial fan ensures rapid temperature recovery   |
| Adjustable cycle defrost operation ensures the unit avoid temperature spikes and ice buildup  |
| Closes to save energy but will remain open when the door is opened at a 90° angle for easier loading  |
| Alarm will beep 3 times if the door is left open for 30 seconds, 5 times at 60 seconds, and will sound continuously if the door is open for more than 5 minutes |
| Visual and audible alarms alert if the interior temperature rises or falls out of set range   |
| Ships with a set of casters (2 locking) for easy mobility as needed   |
| Digital controls with a large LED readout in Celsius or Fahrenheit for intuitive temperature management   |
|   |



## **SCFF237LH Specifications:**

| Overview                      |                        |
|-------------------------------|------------------------|
| Nominal Height                | 84.0" (213 cm)         |
| Height of Cabinet             | 83.75" (213 cm)        |
| Nominal Width                 | 28.0" (71 cm)          |
| Width                         | 27.5" (70 cm)          |
| Nominal Depth                 | 31.0" (79 cm)          |
| Depth                         | 31.0" (79 cm)          |
| Depth with door at 90°        | 56.5" (144 cm)         |
| Capacity                      | 23.0 cu.ft. (651 L)    |
| Defrost Type                  | Frost-Free             |
| Door                          | Stainless Steel        |
| Cabinet                       | Stainless Steel        |
| US Electrical Safety          | UL                     |
| Canadian Electrical<br>Safety | ULC                    |
| Sanitation                    | ETL-S                  |
| Amps                          | 8.0                    |
| Voltage/Frequency             | 115 V AC/60 Hz         |
| Weight                        | 273.0 lbs. (124<br>kg) |
| Parts & Labor Warranty        | 2 Years                |
| Compressor Warranty           | 5 Years                |
| UPC                           | 761101066769           |
| Freezer                       |                        |
| Door Swing                    | LHD                    |
| Reversible                    | No                     |
| Interior Height               | 51.5" (131 cm)         |
| Interior Width                | 23.5" (60 cm)          |
| Interior Depth                | 27.0" (69 cm)          |
| Shelf Type                    | Wire                   |
| Shelf Qty                     | 4                      |
| Adjustable Shelves            | Yes                    |
| Thermostat Type               | Digital                |
| Interior Light                | Yes                    |
| Fan Type                      | Interior               |
| Refrigerant Type              | R290                   |
| Refrigerant Amount            | 3.5 oz.                |
| Wheels                        | 4                      |
| Temperature Range             | -10 to 25°F            |
| Sound Level                   | 39 dB                  |
|                               |                        |





