SUMMIT

SINC4B301B



Product Features:

2" x 30.25" x 20.5" (H x W x D)

7200W 208-240V 30" wide 4-zone built-in induction cooktop with a jet black glass surface, touch controls, and power boost

Highlights:

Advanced safety features include automatic shutoff, overflow protection, child lock, and residual heat indicator light

7200W of cooking power with boost functions for all elements

Two large 8 1/4" elements ideal for fast heating of large cookware

Induction heating	Electromagnetic heating technology where heat is generated inside your cookware, ensuring a more efficient process with less energy waste, faster heating, and a safer cooking experience	
7200W operation	Powerful elements with fast heating to meet most stovetop cooking needs	
Jet black glass surface	Elegant style on a smooth, jet blaack glass surface for a contemporary look that is easier to clean	
2 large elements	8 1/4" elements in the front left and rear right operate at 2000W (with a 3000W capacity at the boost setting) for fast, powerful heating	
2 standard elements	6 1/4" front right and rear left elements operate at 1500W (or 2000W using boost) to cover most general cooking needs	
Smart burner layout	Largest elements are located diagonally, with maximum spacing to allow large cooking vessels in use simultaneously	
Boost function	All cooking zones include a "boost" function that lets them operate at a higher setting for up to 5 minutes, ideal for reducing cook time when boiling water	
Timer function	Allows you to program either burner to heat at a specified level for up to 99 minutes and either turn off when finished or display a countdown with an audible alert when the time is up	
SUMMIT APPLIANCE DIVISION, FEL 770 Garrison Avenue Bronx, NY 10474 USA	IX STORCH, INC. ISO 9001:2015 Certified A TEL 718-893-3900 FAX 844-478-8799 info@summitappliance.com	


SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified 770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799



SUMMIT

SINC4B301B Specifications:

Overview	
Nominal Height	2.0" (5 cm)
Height of Cabinet	2.0" (5 cm)
Nominal Width	31.0" (79 cm)
Width	30.25" (77 cm)
Nominal Depth	21.0" (53 cm)
Depth	20.5" (52 cm)
Cabinet	Black
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Amps	30.0
Voltage/Frequency	240 V AC/60 Hz
Weight	30.0 lbs. (14 kg)
Parts & Labor Warranty	1 Year
UPC	761101077611
Induction Cooktop	
Application	Built-in
Heating Type	Induction
Surface	Glass
Number of Elements	4
Controls	Digital
Cooking Timer	Yes
Countertop Cutout Width	29.5" (75 cm)
Countertop Cutout Depth	19.63" (50 cm)
Power Source	208-240V
Element #1 Size	8.25
Element #1 Wattage	2000.0
Element #2 Size	6.25
Element #2 Wattage	1500.0
Element #3 Size	8.25
Element #3 Wattage	2000.0
Element #4 Size	6.25
Element #4 Wattage	1500.0
Power Cord Included	No



-301

