### accuc@ld

# EL11LT



33.5" x 28.5" x 27.25" (H x W x D)

Commercial -45° C capable chest freezer with digital thermostat and 4.8 cu.ft. capacity

#### **Highlights:**

Capable of -45° C operation for select laboratory and industrial storage purposes

UL-S listed to NSF-7 commercial standards

Digital thermostat with external controls allows easy and precise temperature monitoring

#### **Product Features:**

-45° capable	Low temperature operation is ideal for a variety of laboratory, life science, and industrial applications	
Commercially approved	UL-S listed to NSF/ANSI-7 standards	
Extra thick insulation	4 1/2" thick walls for added efficiency and stable cooling	
Factory installed lock	Keyed lock on the handle for reliable security	
Pre-installed probe hole	Factory-installed 1/2" probe hole located on the right side to accept user-provided monitoring equipment	
Digital thermostat	Electronic controls for precise temperature management, with temperature readout and controls externally located for added convenience	
Counterbalanced hinges	Easy and safe loading and unloading with a lid that remains open when lifted past 45° angles	
Casters	Four solid wheels included for optional mobility	
Manual defrost	Static cooling for a stable interior	

## accuc@ld

#### **EL11LT Specifications:**

Overview	
Nominal Height	34.0" (86 cm)
Height of Cabinet	33.5" (85 cm)
Nominal Width	29.0" (74 cm)
Width	28.5" (72 cm)
Nominal Depth	28.0" (71 cm)
Depth	27.25" (69 cm)
Depth with Handle	28.75" (73 cm)
Capacity	4.8 cu.ft. (136 L)
Defrost Type	Manual
Door	White
Cabinet	White
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Sanitation	UL-S
Amps	7.2
Voltage/Frequency	115 V AC/60 Hz
Weight	110.0 lbs. (50 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101023472
Freezer	
Reversible	No
Interior Height	25.5" (65 cm)
Interior Width	20.5" (52 cm)
Interior Depth	17.75" (45 cm)
Thermostat Type	Digital
Refrigerant Type	R290
Refrigerant Amount	1.94 oz.
High Side PSI	342.0
Low Side PSI	174.0
Compressor Step Height	9.75" (25 cm)
Compressor Step Width	7.88" (20 cm)
Compressor Step Depth	17.75" (45 cm)
Temperature Range	-10° C and -45°C.
<u> </u>	



