## SUMMIT

# **ALBV15PNR**



32" x 14.75" x 23.63" (H x W x D)

15" wide built-in undercounter ADA compliant beverage cooler for home or commercial use, with a panel-ready door frame, glass door, and digital controls

#### **Highlights:**

Less than 32" high for an easy fit under lower ADA compliant counters

Panel-ready door trim lets you blend the unit into your own cabinetry

Just under 15" wide for an easy fit, with a flush back design to save space

#### **Product Features:**

15" Wide Undercounter Beverage Center	Built-in or freestanding glass door refrigerator sized to fit in ADA compliant spaces	
ADA compliant	Sized at 32" high for use under lower ADA compliant counters	
Panel-ready door trim	European style articulating door hinge and bracket kit allow easy installation of custom door trim panels to match adjacent cabinetry	
Built-in capable	Make the best use of space by installing your appliance under the counter	
Commercially approved	ETL-S listed to NSF-7 Standards for use in commercial establishments	
Glass door with stainless steel trim	Provides a full display of stored contents with a heat-safe double tempered design	
Factory installed lock	Keyed lock for a secure interior, with two keys included	
Digital thermostat	Electronic controls for precise temperature management.	
Digital display	Temperature readout can be shown in Celsius or Fahrenheit	





### **ALBV15PNR Specifications:**

Nominal Height         32.0" (81 cm)           Height of Cabinet         32.0" (81 cm)           Nominal Width         15.0" (38 cm)           Width         14.75" (37 cm)           Nominal Depth         24.0" (61 cm)           Depth         23.63" (60 cm)           Depth with door at 90°         39.0" (99 cm)           Capacity         2.3 cu.ft. (65 L)           Defrost Type         Automatic           Door         Glass/Panel-Ready Frame           Cabinet         Black           US Electrical Safety         ETL           Casfety         ETL-C           Sanitation         ETL-S           Energy Usage/Year         270.0kWh/year           Amps         1.0           Voltage/Frequency         115 V AC/60 Hz           Weight         68.0 lbs. (31 kg)           Parts & Labor Warranty         5 Years           UPC         761101082899           Refrigerator Features         Yes           Door Swing         RHD           Reversible         Yes           Shelf Type         Glass           Shelf Qty         3           Adjustable Shelves         Yes           Thermostat Type         Digital	Overview	
Nominal Width 15.0" (38 cm) Width 14.75" (37 cm) Nominal Depth 24.0" (61 cm) Depth 23.63" (60 cm) Depth with door at 90° Capacity 2.3 cu.ft. (65 L) Defrost Type Automatic Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical Safety ETL-C Safety Sanitation ETL-S Energy Usage/Year 270.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 68.0 lbs. (31 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082899  Refrigerator Features Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Interior and Exterior Refrigerant Type R600a Refrigerant Type R600a Refrigerant Amount 0.780z. Level Legs Qty 4	Nominal Height	32.0" (81 cm)
Width14.75" (37 cm)Nominal Depth24.0" (61 cm)Depth23.63" (60 cm)Depth with door at 90°39.0" (99 cm)Capacity2.3 cu.ft. (65 L)Defrost TypeAutomaticDoorGlass/Panel-Ready FrameCabinetBlackUS Electrical SafetyETLCanadian Electrical SafetyETL-C SafetySanitationETL-SEnergy Usage/Year270.0kWh/yearAmps1.0Voltage/Frequency115 V AC/60 HzWeight68.0 lbs. (31 kg)Parts & Labor Warranty5 YearsUPC761101082899Refrigerator FeaturesYesDoor SwingRHDReversibleYesShelf TypeGlassShelf Qty3Adjustable ShelvesYesThermostat TypeDigitalFan TypeInterior and ExteriorRefrigerant TypeR600aRefrigerant Amount0.78ozHigh Side PSI270.0Low Side PSI105.0Level Legs Qty4	Height of Cabinet	32.0" (81 cm)
Nominal Depth24.0" (61 cm)Depth23.63" (60 cm)Depth with door at 90°39.0" (99 cm)Capacity2.3 cu.ft. (65 L)Defrost TypeAutomaticDoorGlass/Panel-Ready FrameCabinetBlackUS Electrical SafetyETLCanadian Electrical SafetyETL-CSafetyETL-CSanitationETL-SEnergy Usage/Year270.0kWh/yearAmps1.0Voltage/Frequency115 V AC/60 HzWeight68.0 lbs. (31 kg)Parts & Labor Warranty5 YearsUPC761101082899Refrigerator FeaturesVesDoor SwingRHDReversibleYesShelf TypeGlassShelf Qty3Adjustable ShelvesYesThermostat TypeDigitalFan TypeInterior and ExteriorRefrigerant TypeR600aRefrigerant Amount0.78oz.High Side PSI270.0Level Legs Qty4	Nominal Width	15.0" (38 cm)
Depth with door at 90° (99 cm) 90° (23 cu.ft. (65 L) 23 cu.ft. (65 L) 24 Capacity 2.3 cu.ft. (65 L) 25 Defrost Type Automatic 26 Door Glass/Panel-Ready Frame 27 Cabinet Black US Electrical Safety ETL 26 Canadian Electrical Safety ETL-C Safety Sanitation ETL-S Energy Usage/Year 270.0kWh/year 270.	Width	14.75" (37 cm)
Depth with door at 90° Capacity 2.3 cu.ft. (65 L) Defrost Type Automatic Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical Safety ETL-C Safety Sanitation ETL-S Energy Usage/Year 270.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 68.0 lbs. (31 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082899  Refrigerator Features Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Level Legs Qty 4	Nominal Depth	24.0" (61 cm)
Capacity 2.3 cu.ft. (65 L) Defrost Type Automatic Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical ETL-C Safety Sanitation ETL-S Energy Usage/Year 270.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 68.0 lbs. (31 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082899  Refrigerator Features Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Level Legs Qty 4	Depth	23.63" (60 cm)
Defrost Type Automatic  Door Glass/Panel-Ready Frame  Cabinet Black US Electrical Safety ETL Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 270.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 68.0 lbs. (31 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082899  Refrigerator Features Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Amount 0.78oz. High Side PSI 270.0 Level Legs Qty 4		39.0" (99 cm)
Cabinet Black US Electrical Safety ETL- Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 270.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 68.0 lbs. (31 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082899  Refrigerator Features Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Amount 0.78oz. High Side PSI 270.0 Level Legs Qty 4	Capacity	2.3 cu.ft. (65 L)
Cabinet Black US Electrical Safety ETL Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 270.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 68.0 lbs. (31 kg) Parts & Labor 1 Year Warranty Compressor Warranty 5 Years UPC 761101082899  Refrigerator Features Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Level Legs Qty 4	Defrost Type	Automatic
US Electrical Safety ETL Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 270.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 68.0 lbs. (31 kg) Parts & Labor 1 Year Warranty Compressor Warranty 5 Years UPC 761101082899 Refrigerator Features Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Level Legs Qty 4	Door	•
Canadian Electrical Safety  Sanitation ETL-S  Energy Usage/Year 270.0kWh/year  Amps 1.0  Voltage/Frequency 115 V AC/60 Hz  Weight 68.0 lbs. (31 kg)  Parts & Labor Warranty  Compressor Warranty 5 Years  UPC 761101082899  Refrigerator Features  Door Swing RHD  Reversible Yes  Shelf Type Glass  Shelf Qty 3  Adjustable Shelves Yes  Thermostat Type Digital  Fan Type Interior and Exterior  Refrigerant Amount 0.78oz.  High Side PSI 270.0  Level Legs Qty 4	Cabinet	Black
Safety         Sanitation         ETL-S           Energy Usage/Year         270.0kWh/year           Amps         1.0           Voltage/Frequency         115 V AC/60 Hz           Weight         68.0 lbs. (31 kg)           Parts & Labor Warranty         1 Year           Compressor Warranty         5 Years           UPC         761101082899           Refrigerator Features         Pes           Door Swing         RHD           Reversible         Yes           Shelf Type         Glass           Shelf Qty         3           Adjustable Shelves         Yes           Thermostat Type         Digital           Fan Type         Interior and Exterior           Refrigerant Type         R600a           Refrigerant Amount         0.78oz.           High Side PSI         270.0           Low Side PSI         105.0           Level Legs Qty         4	US Electrical Safety	ETL
Energy Usage/Year         270.0kWh/year           Amps         1.0           Voltage/Frequency         115 V AC/60 Hz           Weight         68.0 lbs. (31 kg)           Parts & Labor Warranty         1 Year           Compressor Warranty         5 Years           UPC         761101082899           Refrigerator Features         Pes           Door Swing         RHD           Reversible         Yes           Shelf Type         Glass           Shelf Qty         3           Adjustable Shelves         Yes           Thermostat Type         Digital           Fan Type         Interior and Exterior           Refrigerant Type         R600a           Refrigerant Amount         0.78oz.           High Side PSI         270.0           Low Side PSI         105.0           Level Legs Qty         4		ETL-C
Amps         1.0           Voltage/Frequency         115 V AC/60 Hz           Weight         68.0 lbs. (31 kg)           Parts & Labor Warranty         1 Year           Compressor Warranty         5 Years           UPC         761101082899           Refrigerator Features           Door Swing         RHD           Reversible         Yes           Shelf Type         Glass           Shelf Qty         3           Adjustable Shelves         Yes           Thermostat Type         Digital           Fan Type         Interior and Exterior           Refrigerant Type         R600a           Refrigerant Amount         0.78oz.           High Side PSI         270.0           Low Side PSI         105.0           Level Legs Qty         4	Sanitation	ETL-S
Voltage/Frequency Weight Weight 68.0 lbs. (31 kg) Parts & Labor Warranty Compressor Warranty UPC 761101082899 Refrigerator Features Door Swing RHD Reversible Shelf Type Shelf Type Glass Shelf Qty 3 Adjustable Shelves Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Amount 0.78oz. High Side PSI Low Side PSI 105.0 Level Legs Qty 4	Energy Usage/Year	270.0kWh/year
Weight 68.0 lbs. (31 kg) Parts & Labor Warranty  Compressor Warranty UPC 761101082899  Refrigerator Features  Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3  Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0  Level Legs Qty 4	Amps	1.0
Parts & Labor Warranty  Compressor Warranty  Decriping Teatures  Door Swing RHD  Reversible Yes  Shelf Type Glass  Shelf Qty 3  Adjustable Shelves Yes  Thermostat Type Digital  Fan Type Interior and Exterior  Refrigerant Amount 0.78oz.  High Side PSI 270.0  Level Legs Qty 4	Voltage/Frequency	115 V AC/60 Hz
Warranty         5 Years           UPC         761101082899           Refrigerator Features           Door Swing         RHD           Reversible         Yes           Shelf Type         Glass           Shelf Qty         3           Adjustable Shelves         Yes           Thermostat Type         Digital           Fan Type         Interior and Exterior           Refrigerant Type         R600a           Refrigerant Amount         0.78oz.           High Side PSI         270.0           Low Side PSI         105.0           Level Legs Qty         4	Weight	68.0 lbs. (31 kg)
UPC         761101082899           Refrigerator Features           Door Swing         RHD           Reversible         Yes           Shelf Type         Glass           Shelf Qty         3           Adjustable Shelves         Yes           Thermostat Type         Digital           Fan Type         Interior and Exterior           Refrigerant Type         R600a           Refrigerant Amount         0.78oz.           High Side PSI         270.0           Low Side PSI         105.0           Level Legs Qty         4		1 Year
Refrigerator Features  Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Compressor Warranty	5 Years
Door Swing RHD Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	UPC	761101082899
Reversible Yes Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Refrigerator Features	
Shelf Type Glass Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Door Swing	RHD
Shelf Qty 3 Adjustable Shelves Yes Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Reversible	Yes
Adjustable Shelves Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type Refooa Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Shelf Type	Glass
Thermostat Type Digital Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Shelf Qty	3
Fan Type Interior and Exterior Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Adjustable Shelves	Yes
Refrigerant Type R600a Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Thermostat Type	Digital
Refrigerant Amount 0.78oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4	Fan Type	Interior and Exterior
High Side PSI 270.0  Low Side PSI 105.0  Level Legs Qty 4	Refrigerant Type	R600a
Low Side PSI 105.0 Level Legs Qty 4	Refrigerant Amount	0.78oz.
Level Legs Qty 4	High Side PSI	270.0
	Low Side PSI	105.0
Interior Light Yes	Level Legs Qty	4
	Interior Light	Yes

Temperature Range	36 - 43°F
Sound Level	33 dB
Dimensions	
Interior Height	21.25" (54 cm)
Interior Width	10.5" (27 cm)
Interior Depth	17.25" (44 cm)
Compressor Step Height	3.5" (9 cm)
Compressor Step Width	10.5" (27 cm)
Compressor Step Depth	5.0" (13 cm)









