



FF1538BSS



34" x 14.75" x 22.75" (H x W x D)

DISCONTINUED: Replaced by FF1532BSS

Highlights:

- Just under 15" wide for an easy fit, with a flush back design to save space
- Flexible design allows built-in or freestanding use under counters
- Reversible stainless steel wrapped door includes pro handle

Product Features:

Built-in capable	Make the best use of space by installing your appliance under the counter
Fully finished black cabinet	Allows the unit to be used freestanding
Stainless steel door	Wrapped stainless steel door offers a professional look with lasting durability
Factory installed lock	Keyed security on the door
Digital thermostat	Electronic controls for precise temperature management.
Digital display	Temperature readout can be shown in Celsius or Fahrenheit
LED lighting	Gentle illumination with an on/off switch
Automatic defrost	No-frost operation ensures reduced maintenance
Adjustable glass shelves	Rearrange refrigerator space to accommodate all sizes or remove shelves for simple cleanup



FF1538BSS Specifications:

Overview	
Height of Cabinet	34.0" (86 cm)
Width	14.75" (37 cm)
Depth	22.75" (58 cm)
Depth with door at 90°	36.25" (92 cm)
Capacity	3.0 cu.ft. (85 L)
Defrost Type	Automatic
Door	Stainless Steel
Cabinet	Black
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Sanitation	ETL-S
Energy Usage/Year	393.0kWh/year
Amps	1.4
Voltage/Frequency	115 V AC/60 Hz
Weight	73.0 lbs. (33 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101043814
Refrigerator Features	
Door Swing	RHD
Reversible	Yes
Shelf Type	Glass
Shelf Qty	3
Full Door Shelf Qty	1
Half Door Shelf Qty	1
Adjustable Shelves	Yes
Thermostat Type	Digital
Fan Type	Interior and Exterior
Refrigerant Type	R134a
Refrigerant Amount	1.27oz.
High Side PSI	270.0
Low Side PSI	105.0
Level Legs Qty	4
Interior Light	Yes
Dimensions	
Interior Height	24.63" (63 cm)
Interior Width	12.0" (30 cm)

Interior Depth	17.63" (45 cm)
Compressor Step Height	3.13" (8 cm)
Compressor Step Width	12.0" (30 cm)
Compressor Step Depth	5.25" (13 cm)

